

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB NO. 0704-0188

Public Reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188,) Washington, DC 20503.

1. AGENCY USE ONLY (Leave Blank)	2. REPORT DATE JULY 1, 2000	3. REPORT TYPE AND DATES COVERED FINAL 06/01/98 - 09/30/99
4. TITLE AND SUBTITLE ALGORITHM DEVELOPMENT & EXPERIMENTAL EVALUATION OF BLIND EQUALIZERS FOR RAPIDLY VARYING CHANNELS WITH ANTENNA ARRAYS		5. FUNDING NUMBERS DAAG55-98-1-0336
6. AUTHOR(S) GEORGIOS B. GIANNAKIS AND N.D. SIDIROPOULOS		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) UNIVERSITY OF VIRGINIA, SCHOOL OF ENGINEERING, DEPT. OF ELECTRICAL ENGINEERING, POST AWARD ADMINISTRATION, P.O. BOX 400258, CHARLOTTESVILLE, VA 22904-4258		8. PERFORMING ORGANIZATION REPORT NUMBER 5-25108
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U. S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211		10. SPONSORING / MONITORING AGENCY REPORT NUMBER  ARO 37592.1-EL

11. SUPPLEMENTARY NOTES  
The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.

12 a. DISTRIBUTION / AVAILABILITY STATEMENT  Approved for public release; distribution unlimited.	12 b. DISTRIBUTION CODE
---	-------------------------

13. ABSTRACT (Maximum 200 words)

RESEARCH FOCUSED ON DEVELOPING AND TESTING EFFICIENT ALGORITHMS FOR EXPLICIT MODELING AND BLIND ESTIMATION OF TIME-VARYING COMMUNICATION CHANNELS, AND THE RESULTING SELF-RECOVERING ANTENNA RECEIVERS AND EQUALIZERS IN RAPIDLY FADING MOBILE BATTLEFIELD SCENARIOS. ESTABLISHED THAT FINITELY PARAMETERIZED BASIS EXPANSIONS RENDER SINGLE-INPUT SINGLE-OUTPUT (ISIO) TIME-VARYING (TV) CHANNELS EQUIVALENT TO MULTIVARIATE TIME-INVARIANT (IT) CHANNELS WITH INPUTS FORMED BY MODULATING A SINGLE INPUT WITH THE BASES (J2,J3).

20001122 124

14. SUBJECT TERMS  ANTENNA ARRAYS, TIME-VARYING COMMUNICATION CHANNELS, ALGORITHMS		15. NUMBER OF PAGES 5
		16. PRICE CODE
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION ON THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED
20. LIMITATION OF ABSTRACT UL		

\*\*\*\*\*  
For the final Report of ARO grant No. DAAG55-98-1-0336  
\*\*\*\*\*

This is to certify that research under ARO grant No. DAAG55-98-1-0336 was performed until 9/99 when the award to the University of Virginia ended. Renewed funds under this grant were awarded directly to the University of Minnesota where the PI is currently employed as a professor of the Electrical and Computer Engineering Department. Research until 9/99 focused on the development and testing of efficient algorithms for modeling and blind estimation of time-varying communication channels, and the resulting self-recovering antenna receivers and equalizers in rapidly fading mobile battlefield scenarios.

Briefly, we have developed basis expansion models for single-input single-output (SISO) time-varying (TV) channels and proved them equivalent to multivariate time-invariant (TI) channels with inputs formed by modulating a single input with the bases. SISO-TV fading channels capture phase noise, oscillator drifts, Doppler effects caused by relative motion between transmitters and receivers, and varying multipath propagation encountered with mobile wireless links in the battlefield. They give rise to time- and frequency-selective intersymbol interference (ISI) which has been traditionally modeled via random (Rayleigh or Rician) channels; however, by establishing links with existing physical channel measurements, we have discovered that deterministic Fourier bases expansions are well motivated for modeling rapidly fading mobile communication channels when multipath propagation caused by a few dominant reflectors gives rise to (Doppler induced) linearly varying path delays. Our algorithms estimate Doppler frequencies blindly using cyclic statistics and determine the channel orders relying upon rank properties of a received data matrix. By complementing channel (or Doppler) diversity with temporal, or, spatial diversity (available with oversampling or multiple antennas), we have derived blind estimators of TV channels along with direct equalizers. Two deterministic blind equalization algorithms have been derived: one determines the channels first and then the equalizers, whereas the other estimates the equalizers directly. The equalizers are TI, multivariate, zero-forcing, and lend themselves to optimally weighted and adaptive extensions. We have also proved that exploitation of the input's whiteness reduces the amount of spatio/temporal diversity (only two sensors) needed to identify blindly TV channels and mitigate their effects using minimum mean-square error equalizers.

Over the last six months (3/99-9/99) we exploited transmitter-induced redundancy to develop novel channel estimation and symbol recovery approaches for blind identification and equalization of time- and frequency-selective channels where the time variation is modeled deterministically by a basis expansion. The resulting statistical algorithm enables the usage of a single antenna, dispenses with channel disparity conditions of existing approaches, and allows channel order overestimation. In addition, new deterministic algorithms for generalized OFDM systems were introduced which produce reliable estimates with few data points at high SNRs. Simulations illustrate the approaches developed.

## TRANSFER REPORT: 1998 - 1999

ARO Grant No.: DAAG55-98-1-0336

Title: "ALGORITHM DEVELOPMENT AND EXPERIMENTAL EVALUATION OF BLIND EQUALIZERS FOR RAPIDLY VARYING CHANNELS WITH ANTENNA ARRAYS"

Program Director: Dr. James A. Freebersyser  
Electronics Division  
Army Research Office, P.O. Box 12211  
Research Triangle Park, NC 27709-2211  
tel: (919) 549-4330  
fax: (919) 549-4310  
email: jimf@aro-emh1.army.mil

PI: Prof. Georgios B. Giannakis  
Dept. of Electrical & Comp. Engr.  
University of Minnesota  
200 Union Street S.E.  
Minneapolis, MN 55455  
tel: (612) 626-7781  
fax: (612) 625-4583  
email: georgios@ece.umn.edu

---

### Research tasks accomplished (02/98 - 02/99)

Research so far has focused on developing and testing efficient algorithms for: (i) explicit modeling and blind estimation of time-varying communication channels, and the resulting (ii) self-recovering antenna receivers and equalizers in rapidly fading mobile battlefield scenarios. Our recent results are detailed in journal [J1-J4] and conference [C1-C4] publications.

In a nutshell, we have established that finitely parameterized basis expansions render single-input single-output (SISO) time-varying (TV) channels equivalent to multivariate time-invariant (TI) channels with inputs formed by modulating a single input with the bases [J2,J3]. SISO-TV fading channels are of paramount importance both for commercial as well as for military communications because they capture phase noise, oscillator drifts, Doppler effects caused by relative motion between transmitters and receivers, and varying multipath propagation encountered with mobile wireless links in the battlefield [J1,J3]. They cause time- and frequency-selective inter-symbol interference (ISI) which has been traditionally modeled via random (Rayleigh or Rician) channels; however, by establishing links with existing physical channel measurements, we have shown that deterministic Fourier bases expansions are well motivated for modeling rapidly fading mobile communication channels when multipath propagation caused by a few dominant reflectors gives rise to (Doppler induced) linearly varying path delays. Our algorithms estimate Doppler frequencies blindly using cyclic statistics and determine the channel orders relying upon rank properties of a received data matrix [J3]. By complementing channel (or Doppler) diversity with temporal, or, spatial diversity (available with oversampling or multiple antennas), we have derived

blind estimators of TV channels along with direct equalizers under with minimal (persistence-of-excitation) assumptions on the input and the bases [J3,J4]. Two deterministic blind equalization algorithms have been derived: one determines the channels first and then the equalizers, whereas the other estimates the equalizers directly. The equalizers are time-invariant, multivariate, zero-forcing, and lend themselves to optimally weighted and adaptive extensions [J4]. We have also proved that exploitation of the input's whiteness reduces the amount of spatio/temporal diversity (only two sensors) needed to identify blindly TV channels and mitigate their effects using minimum mean-square error equalizers [C1]. Sensitivity to order and model mismatch have been studied briefly [J4].

### Research tasks to be accomplished (03/99 - 2,0001)

Future work on the algorithmic tasks of our proposal will focus on:

- performance analysis of the channel estimators especially when model perturbations due to synchronization effects and Doppler frequency drifts are present;
- development of online fully-adaptive algorithms for estimating both the bases frequencies as well as the equalizer coefficients;
- performance evaluation in terms of error probability for the zero-forcing equalizers and simulation-based comparisons with the mean-square error equalizers;
- exploitation of input redundancy in the form of time-varying precoding filterbanks, for estimating TV channels with antenna arrays (without oversampling or deployment of multiple antennas preliminary results reported in [C2-C4] are very encouraging);

More than 60% of our future research efforts will concentrate on the experimental tasks described in the original time-table of our proposal (revised and updated below):

	March 99	Oct. 99	May 00	May 01
development of fully adaptive algorithms, performance analysis and extensive simulations	----->			
testbed integration and preliminary testing	----->			
Real data evaluation	----->			
development of algorithms relying on transmit- and receive-diversity		----->		
Algorithm implementation data and testbed experiments		----->		

### Journal papers

- [J1] F. Gini and G. B. Giannakis, "Frequency Offset and Symbol Timing Recovery in Flat Fading Channels: A Cyclostationary Approach," *IEEE Transactions on Communications*, vol. 46, pp. 400-411, March 1998.
- [J2] G. B. Giannakis, "Channel Estimation and Equalization," *IEEE Signal Processing Magazine*, A. O. Hero, Editor for Highlights of Statistical Signal and Array Processing, pp. 21-64, vol. 15, no. 5, September 1998.
- [J3] G. B. Giannakis and C. Tepedelenlioglu, "Basis Expansion Models and Diversity Techniques for Blind Equalization of Time-Varying Channels," *Proceedings of the IEEE*, vol. 86, pp. 1969-1986, October 1998.
- [J4] H. Liu and G. B. Giannakis, "Deterministic approaches for blind equalization of time-varying channels with antenna arrays," *IEEE Transactions on Signal Processing*, vol. 46, no. 11, pp. 3003-3013, November 1998.

### Publications in Conference Proceedings

- [C1] C. Tepedelenlioglu and G. B. Giannakis, "Blind equalization of time-varying channel using second-order statistics," *Proc. of Wireless Com. Workshop*, pp. 138-143, San Diego, CA, March 1998.
- [C2] A. Scaglione, S. Barbarossa, and G. B. Giannakis, "Self-recovering equalization of time-selective fading channels using redundant filterbank precoders," *Proc. of Digital Signal Proc. Workshop*, Bryce Canyon, Utah, August 9-12, 1998.
- [C3] C. Tepedelenlioglu and G. B. Giannakis, "Blind estimation and equalization of time- and frequency-selective channels using filterbank precoders," *Proc. of 32nd Asilomar Conf. on Signals, Systems, and Computers*, Pacific Grove, CA, Nov. 1-4, 1998 (to appear).
- [C4] C. Tepedelenlioglu and G. B. Giannakis, "Deterministic Blind Estimation of Time- and Frequency-Selective Fading Channels using Filterbank Precoders," *Proc. of 2nd Workshop on Signal Proc. Advances in Wireless Communications*, Annapolis, MD, May 1999 (to appear).